

DEFENSE INFORMATION SYSTEMS AGENCY
Interoperability Directorate, 5600 Columbia Pike, Falls Church, VA 22041-2717
SYMOLOGY STANDARDS MANAGEMENT COMMITTEE DIRECTIVE

SSMC NO: 2-03

Date: July 24, 2003

CP No: MIL00-32A

Title: Circular Call for Fire Zone

Originator, Name and Address:

PM FATDS

SSMC Action:

- Approved
 - Approved with Changes
 - Withdrawn
 - Deferred
 - Declared Substantive
- By:
- Disapproved
 - Testing Required
 - Prior to Decision
 - Subsequent to Decision
 - Allied Coordination Required

Decision:

Approved as submitted.

Votes Cast/Proposed Change

Approve Disapprove Abstain N/A

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USA
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USN
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USMC
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USAF
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIMA
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DIA
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DISA

Chairperson


(Signature)

SYMBOL CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-32A	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	August 6, 2001	July 24, 2003
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, CALL FOR FIRE (CFF) ZONE, CIRCULAR			
SUGGESTED CHANGE			
<p>The Fire Support community has a requirement to add a new symbol to MIL-STD-2525B.</p> <ol style="list-style-type: none"> 1. The purpose of the radar Call For Fire (CFF) Zone, Circular symbol is to graphically display circular radar Call For Fire Zones, Circular to commanders in the Common Operational Picture (COP)/Common Tactical Picture (CTP). 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the “Areas” hierarchy, 2.X.4.3, figure B-17, and table B-IV. 			
OVERVIEW			
<p>Currently, the standard does not contain a symbol depicting radar CFF Zones, Circular. The purpose of the radar CFF Zone, Circular symbol is to graphically display to commanders and operators the geometry used by fire support radar's to designate specific areas from which a call for fire would be automatically generated if enemy indirect fires are detected. Incorporation into MIL STD 2525B, which will be used in JMTK and GSD, will allow the symbols to be transmitted/received by all battlefield system. The CFF Zone, Circular is a required symbol for use in the COP/CTP to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the radar Call For Fire Zone, Circular for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.</p>			
OPERATIONAL DESCRIPTION			
<p>In general, the radar CFF Zone, Circular symbol is used by fire support radar's to designate specific areas from which a call for fire would be automatically generated if enemy indirect fires are detected. The call for fire would be generated and sent to Fire Support systems. One (1) point location and a radius defined in meters are required to graphically display circular radar CFF Zones. The minimum information required to interoperate with another system is below.</p>			
IMPLEMENTATION			
<p>Description: Fire Support, Areas, Target Acquisition Zones, Call For Fire (CFF) Zone, Circular</p> <p>Parameters:</p> <ol style="list-style-type: none"> 1. Anchor Points. This graphic requires one (1) anchor point and a radius. Point 1 defines the center point of the graphic. 2. Size/Shape. Size: The radius, defined in meters, defines the size. Shape: Circle. The information fields should be scaleable within the circle. 3. Orientation. Not applicable. <p>Fixed/Dynamic: Dynamic</p> <p>Hierarchy: 2.X.4.3.3.2.3</p> <p>Symbol ID: G*F*AZXC--****X</p>			

SYMBOL CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-32A	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	August 6, 2001	July 24, 2003
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, CALL FOR FIRE (CFF) ZONE, CIRCULAR			
Tactical Graphic		Example	
JIEO ANALYSIS			
See JIEO ANALYSIS MIL00-32A.doc			
C/S/A COMMENTS			
DECISION NOTICE			
Approved at SSMC 2-03.			

Attachment A

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

Attachment A

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.


HIERARCHY										DESCRIPTION
2.X.4	G	*	F	*	--	--	--	**	**	X FIRE SUPPORT
2.X.4.1	G	*	F	*	P-	--	--	**	**	X POINT
2.X.4.1.1	G	*	F	*	PT	--	--	**	**	X TARGET
2.X.4.1.1.1	G	*	F	*	PT	S-	--	**	**	X POINT/SINGLE TARGET
2.X.4.1.1.2	G	*	F	*	PT	N-	--	**	**	X NUCLEAR TARGET
2.X.4.1.2	G	*	F	*	PC	--	--	**	**	X COMMAND AND CONTROL
2.X.4.1.2.1	G	*	F	*	PC	F-	--	**	**	X FIRE SUPPORT STATION
2.X.4.1.2.2	G	*	F	*	PC	S-	--	**	**	X SURVEY CONTROL POINT (SCP)
2.X.4.1.2.3	G	*	F	*	PC	B-	--	**	**	X FIRING POINT
2.X.4.1.2.4	G	*	F	*	PC	R-	--	**	**	X RELOAD POINT
2.X.4.1.2.5	G	*	F	*	PC	H-	--	**	**	X HIDE POINT
2.X.4.1.2.6	G	*	F	*	PC	L-	--	**	**	X LAUNCH POINT
2.X.4.2	G	*	F	*	L-	--	--	**	**	X LINES
2.X.4.2.1	G	*	F	*	LT	--	--	**	**	X LINEAR TARGET
2.X.4.2.1.1	G	*	F	*	LT	S-	--	**	**	X LINEAR SMOKE TARGET
2.X.4.2.1.2	G	*	F	*	LT	F-	--	**	**	X FINAL PROTECTIVE FIRE (FPF)
2.X.4.2.2	G	*	F	*	LC	--	--	**	**	X COMMANDAND CONTROL
2.X.4.2.2.1	G	*	F	*	LC	F-	--	**	**	X FIRE SUPPORT COORDINATION LINE (FSCL)
2.X.4.2.2.2	G	*	F	*	LC	C-	--	**	**	X COORDINATED FIRE LINE (CFL)
2.X.4.2.2.3	G	*	F	*	LC	N-	--	**	**	X NO-FIRE LINE (NFL)
2.X.4.2.2.4	G	*	F	*	LC	R-	--	**	**	X RESTRICTIVE FIRE LINE (RFL)
2.X.4.3	G	*	F	*	A-	--	--	**	**	X AREAS
2.X.4.3.1	G	*	F	*	AT	--	--	**	**	X AREA TARGET
2.X.4.3.1.1	G	*	F	*	AT	C-	--	**	**	X CIRCULAR TARGET
2.X.4.3.1.2	G	*	F	*	AT	R-	--	**	**	X RECTANGULAR TARGET
2.X.4.3.1.3	G	*	F	*	AT	G-	--	**	**	X SERIES OR GROUP OF TARGETS
2.X.4.3.1.4	G	*	F	*	AT	S-	--	**	**	X SMOKE
2.X.4.3.1.5	G	*	F	*	AT	B-	--	**	**	X BOMB AREA
2.X.4.3.2	G	*	F	*	AC	--	--	**	**	X COMMAND AND CONTROL
2.X.4.3.2.1	G	*	F	*	AC	S-	--	**	**	X FIRE SUPPORT AREA (FSA)
2.X.4.3.2.1.1	G	*	F	*	AC	SI	--	**	**	X FIRE SUPPORT AREA (FSA), IRREGULAR
2.X.4.3.2.1.2	G	*	F	*	AC	SR	--	**	**	X FIRE SUPPORT AREA (FSA), RECTANGULAR
2.X.4.3.2.1.3	G	*	F	*	AC	SC	--	**	**	X FIRE SUPPORT AREA (FSA), CIRCULAR
2.X.4.3.2.2	G	*	F	*	AC	A-	--	**	**	X AIRSPACE COORDINATION AREA (ACA)
2.X.4.3.2.2.1	G	*	F	*	AC	AI	--	**	**	X AIRSPACE COORDINATION AREA (ACA), IRREGULAR
2.X.4.3.2.2.2	G	*	F	*	AC	AR	--	**	**	X AIRSPACE COORDINATION AREA (ACA), RECTANGULAR
2.X.4.3.2.2.3	G	*	F	*	AC	AC	--	**	**	X AIRSPACE COORDINATION AREA (ACA), CIRCULAR
2.X.4.3.2.3	G	*	F	*	AC	F-	--	**	**	X FREE FIRE AREA (FFA)
2.X.4.3.2.3.1	G	*	F	*	AC	FI	--	**	**	X FREE FIRE AREA (FFA), IRREGULAR
2.X.4.3.2.3.2	G	*	F	*	AC	FR	--	**	**	X FREE FIRE AREA (FFA), RECTANGULAR
2.X.4.3.2.3.3	G	*	F	*	AC	FC	--	**	**	X FREE FIRE AREA (FFA), CIRCULAR
2.X.4.3.2.4	G	*	F	*	AC	N-	--	**	**	X NO-FIRE AREA (NFA)
2.X.4.3.2.4.1	G	*	F	*	AC	NI	--	**	**	X NO-FIRE AREA (NFA), IRREGULAR
2.X.4.3.2.4.2	G	*	F	*	AC	NR	--	**	**	X NO-FIRE AREA (NFA), RECTANGULAR
2.X.4.3.2.4.3	G	*	F	*	AC	NC	--	**	**	X NO-FIRE AREA (NFA), CIRCULAR

Attachment A


HIERARCHY								DESCRIPTION
								ORDER OF BATTLE
								COUNTRY CODE
								SIZE/MOBILITY
								FUNCTION ID
2.X.4.3.2.5	G	*	F	*	AC	R-	--	** ** X RESTRICTIVE FIRE AREA (RFA)
2.X.4.3.2.5.1	G	*	F	*	AC	RI	--	** ** X RESTRICTIVE FIRE AREA (RFA), IRREGULAR
2.X.4.3.2.5.2	G	*	F	*	AC	RR	--	** ** X RESTRICTIVE FIRE AREA (RFA), RECTANGULAR
2.X.4.3.2.5.3	G	*	F	*	AC	RC	--	** ** X RESTRICTIVE FIRE AREA (RFA), CIRCULAR
2.X.4.3.2.6	G	*	F	*	AC	P-	--	** ** X POSITION AREA FOR ARTILLERY (PAA)
2.X.4.3.2.6.1	G	*	F	*	AC	PI	--	** ** X POSITION AREA FOR ARTILLERY (PAA), IRREGULAR
2.X.4.3.2.6.2	G	*	F	*	AC	PC	--	** ** X POSITION AREA FOR ARTILLERY (PAA), CIRCULAR
2.X.4.3.3	G	*	F	*	AZ	--	--	** ** X TARGET ACQUISITION ZONES
2.X.4.3.3.1	G	*	F	*	AZ	I-	--	** ** X ARTILLERY TARGET INTELLIGENCE (ATI) ZONE
2.X.4.3.3.1.1	G	*	F	*	AZ	II	--	** ** X ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR
2.X.4.3.3.1.2	G	*	F	*	AZ	IR	--	** ** X ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, RECTANGULAR
2.X.4.3.3.1.3	G	*	F	*	AZ	IC	--	** ** X ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, CIRCULAR
2.X.4.3.3.2	G	*	F	*	AZ	X-	--	** ** X CALL FOR FIRE ZONE (CFFZ)
2.X.4.3.3.2.1	G	*	F	*	AZ	XI	--	** ** X CALL FOR FIRE ZONE (CFFZ), IRREGULAR
2.X.4.3.3.2.2	G	*	F	*	AZ	XR	--	** ** X CALL FOR FIRE ZONE (CFFZ), RECTANGULAR
2.X.4.3.3.2.3	G	*	F	*	AZ	XC	--	** ** X CALL FOR FIRE ZONE (CFFZ), CIRCULAR
2.X.4.3.3.3	G	*	F	*	AZ	S-	--	** ** X SENSOR ZONE
2.X.4.3.3.3.1	G	*	F	*	AZ	SI	--	** ** X SENSOR ZONE, IRREGULAR
2.X.4.3.3.3.2	G	*	F	*	AZ	SR	--	** ** X SENSOR ZONE, RECTANGULAR
2.X.4.3.3.3.3	G	*	F	*	AZ	SC	--	** ** X SENSOR ZONE, CIRCULAR
2.X.4.3.3.3.4	G	*	F	*	AZ	C-	--	** ** X CENSOR ZONE
2.X.4.3.3.3.4.1	G	*	F	*	AZ	CI	--	** ** X CENSOR ZONE, IRREGULAR
2.X.4.3.3.3.4.2	G	*	F	*	AZ	CR	--	** ** X CENSOR ZONE, RECTANGULAR
2.X.4.3.3.3.4.3	G	*	F	*	AZ	CC	--	** ** X CENSOR ZONE, CIRCULAR
2.X.4.3.3.3.5	G	*	F	*	AZ	D-	--	** ** X DEAD SPACE AREA (DA)
2.X.4.3.3.3.5.1	G	*	F	*	AZ	DI	--	** ** X DEAD SPACE AREA (DA), IRREGULAR
2.X.4.3.3.3.5.2	G	*	F	*	AZ	DR	--	** ** X DEAD SPACE AREA (DA), RECTANGULAR
2.X.4.3.3.3.5.3	G	*	F	*	AZ	DC	--	** ** X DEAD SPACE AREA (DA), CIRCULAR
2.X.4.3.3.3.6	G	*	F	*	AZ	F-	--	** ** X CRITICAL FRIENDLY ZONE (CFZ)
2.X.4.3.3.3.6.1	G	*	F	*	AZ	FI	--	** ** X CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR
2.X.4.3.3.3.6.2	G	*	F	*	AZ	FR	--	** ** X CRITICAL FRIENDLY ZONE (CFZ), RECTANGULAR
2.X.4.3.3.3.6.3	G	*	F	*	AZ	FR	--	** ** X CRITICAL FRIENDLY ZONE (CFZ), CIRCULAR
2.X.4.3.3.3.7	G	*	F	*	AZ	Z-	--	** ** X ZONE OF RESPONSIBILITY (ZOR)
2.X.4.3.3.3.7.1	G	*	F	*	AZ	ZI	--	** ** X ZONE OF RESPONSIBILITY (ZOR), IRREGULAR
2.X.4.3.3.3.7.2	G	*	F	*	AZ	ZR	--	** ** X ZONE OF RESPONSIBILITY (ZOR), RECTANGULAR
2.X.4.3.3.3.7.3	G	*	F	*	AZ	ZC	--	** ** X ZONE OF RESPONSIBILITY (ZOR), CIRCULAR
2.X.4.3.3.3.8	G	*	F	*	AZ	B-	--	** ** X TARGET BUILD-UP AREA (TBA)
2.X.4.3.3.3.8.1	G	*	F	*	AZ	BI	--	** ** X TARGET BUILD-UP AREA (TBA), IRREGULAR
2.X.4.3.3.3.8.2	G	*	F	*	AZ	BR	--	** ** X TARGET BUILD-UP AREA (TBA), RECTANGULAR
2.X.4.3.3.3.8.3	G	*	F	*	AZ	BC	--	** ** X TARGET BUILD-UP AREA (TBA), CIRCULAR
2.X.4.3.3.3.9	G	*	F	*	AZ	V-	--	** ** X TARGET VALUE AREA (TVAR)
2.X.4.3.3.3.9.1	G	*	F	*	AZ	VI	--	** ** X TARGET VALUE AREA (TVAR), IRREGULAR
2.X.4.3.3.3.9.2	G	*	F	*	AZ	VR	--	** ** X TARGET VALUE AREA (TVAR), RECTANGULAR
2.X.4.3.3.3.9.3	G	*	F	*	AZ	VC	--	** ** X TARGET VALUE AREA (TVAR), CIRCULAR
2.X.4.3.4	G	*	F	*	AX	--	--	** ** X WEAPON/RADAR RANGE FAN
2.X.4.3.4.1	G	*	F	*	AX	C-	--	** ** X WEAPON/RADAR RANGE FAN, CIRCULAR
2.X.4.3.4.2	G	*	F	*	AX	S-	--	** ** X WEAPON/RADAR RANGE FAN, SECTOR

Attachment A

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY	TACTICAL GRAPHIC	
		SYM-ID		
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES CALL FOR FIRE ZONE (CFFZ)	N/A	2.X.4.3.3.2		
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES CALL FOR FIRE ZONE (CFFZ) IRREGULAR	D	2.X.4.3.3.2.1		
		G*FPAZXI--****X		
		Example		
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES CALL FOR FIRE ZONE (CFFZ) RECTANGULAR	D	2.X.4.3.3.2.2		
<u>Parameters</u>		G*FPAZXR--****X		
		Example		
1. Anchor points. This graphic requires a minimum of three anchor points to define the boundary of the area. Add as many points as necessary to accurately reflect the area's size and shape. 2. Size/Shape. Determined by the anchor points. The information fields should be moveable and scaleable within the area. 3. Orientation. Not applicable.				
1. Anchor Points. This graphic requires two anchor points and a width, defined in meters, to define the boundary of the area. Points 1 and 2 will be located in the center of two opposing sides of the rectangle. 2. Size/Shape. Size: As determined by the anchor points. The anchor points determine the length of the rectangle. The width, defined in meters, will determine the width of the rectangle. Shape: Rectangle. The information fields should be moveable and scaleable. 3. Orientation. As determined by the anchor points.				

Attachment A

DESCRIPTION	STATIC/ DYNAMIC	HIERARCHY	TACTICAL GRAPHIC
		SYM-ID	
FIRE SUPPORT AREAS TARGET ACQUISITION ZONES CALL FOR FIRE ZONE (CFFZ) CIRCULAR	D	2.X.4.3.3.2.3	
		G*FPAZXC-- ****X	
<u>Parameters</u>		Example	
<p>1. Anchor Points. This graphic requires one (1) anchor point and a radius. Point 1 defines the center point of the graphic.</p> <p>2. Size/Shape. Size: The radius, defined in meters, defines the size. Shape: Circle. The information fields should be scaleable within the circle.</p> <p>3. Orientation. Not applicable.</p>			